

CoraLite®594-conjugated DHX37 Monoclonal antibody

Catalog Number: **CL594-67853**

Basic Information

Catalog Number: CL594-67853	GenBank Accession Number: BC037964	Purification Method: Protein A purification
Size: 100ul , Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 57647	CloneNo.: 2B12D9
Source: Mouse	UNIPROT ID: Q8IY37	Excitation/Emission maxima wavelengths: 588 nm / 604 nm
Isotype: IgG2a	Full Name: DEAH (Asp-Glu-Ala-His) box polypeptide 37	
Immunogen Catalog Number: AG29909	Calculated MW: 1157 aa, 130 kDa	
	Observed MW: 130-140 kDa	

Applications

Tested Applications:
FC (Intra)

Species Specificity:
Human

Background Information

DHX37, also known as DDX37, KIAA1517. It is an ATP-bound RNA helicase that plays a role in the maturation of small ribosomal subunits in ribosomal biogenesis (PMID:30582406). The presence of DHX37 in early pre-ribosomal particles was monitored by a quality control pathway, and failure to recruit DHX37 resulted in pre-rRNA degradation. DHX37 binds directly to U3 small nucleolar RNA (snoRNA), and the catalytic activity of the helicase is required for dissociation of U3 small nucleolar RNA from the pre-ribosomal complex. In addition, it plays a role in early testicular development (PMID:31287541, PMID:31337883). It may also have an effect on brain development (PubMed:31256877). It is expressed in the fallopian tubes, ovaries, uterus, testes and brain (PMID: 31256877, PMID: 31337883).

Storage

Storage:
Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:
PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1×10^6 HeLa cells were intracellularly stained with 0.4 μ g CoraLite®594 Anti-Human DHX37 (CL594-67853, Clone:2B12D9) (red), or 0.4 μ g Mouse IgG2a Isotype Control (CL594-66360-2, Clone: K11A1B2A2) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).