For Research Use Only

CoraLite®594 Anti-Mouse CD30 Ligand/TNFSF8 Rabbit Recombinant Antibody




Catalog Number:CL594-98113


Basic Information	Catalog Number: CL594-98113	GenBank Accession Number: NM_009403.3	Purification Method: Protein A purification				
	<mark>Size:</mark> 100ug , 500 ug/ml	GenelD (NCBI): 21949	CloneNo.: 241012G10				
	Source: Rabbit Isotype: IgG Immunogen Catalog Number: EG0667	UNIPROT ID: P32972 Full Name: tumor necrosis factor (ligand) superfamily, member 8 Calculated MW: 27 kDa	Recommended Dilutions: FC: 0.25 ug per 10^6 cells in a 100 µl suspension Excitation/Emission maxima wavelengths: 588 nm / 604 nm				
				Applications	Tested Applications: FC	Positive Controls:	
					Species Specificity: mouse	FC : anti-C	D3/CD28 treated mouse splenocytes,
Background Informatic	CD30 Ligand (CD30L), also named as TNFSF8 or CD153, is a type II transmembrane protein that belongs to the tumor necrosis factor (TNF) superfamily (PMID: 8391931). It is expressed on the surface of activated T cells, B cells, monocytes, macrophages, eosinophils, neutrophils, and mast cells (PMID: 26090498). CD30L interacts with its receptor, CD30, which is a cell surface protein expressed on a small subset of activated T and B lymphocytes, and a variety of lymphoid neoplasms, with the highest expression in classical Hodgkin lymphoma and anaplastic large cell lymphomas (PMID: 28885612). The CD30/CD30L signaling is involved in pleiotropic downstream effects including differentiation, cell survival and death, NFkB activation, and production of cytokines (PMID: 38534788).						
Storage	Storage: Store at 2-8°C. Avoid exposure to Storage Buffer: PBS with 0.09% sodium azide, pH	light. Stable for one year after shipmer 7.3	nt.				

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^6 untreated or anti-CD3/CD28 treated mouse splenocytes were surface stained with Coralite® Plus 488 Anti-Mouse CD4 and 0.25 ug Coralite® 594 Anti-Mouse CD30 Ligand/TNFSF8 Rabbit RecAb (CL594-98113, Clone: 241012G10). Cells were not fixed.

1x10^6 anti-CD3/CD28 treated mouse splenocytes were surface stained with 0.25 ug CoraLite@594 Anti-Mouse CD30 Ligand/TNF5F8 Rabbit RecAb (CL594-98113, Clone: 241012G10) (red) or CoraLite@594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9) (blue). 1x10^6 untreated mouse splenocytes were surface stained with 0.25 ug CoraLite@594 Anti-Mouse CD30 Ligand/TNFSF8 Rabbit RecAb (CL594-98113, Clone: 241012G10) (black,