For Research Use Only

CoraLite®594 Anti-Mouse CD80 Rabbit Recombinant Antibody

Catalog Number: CL594-98158



Basic Information

Catalog Number: GenBank Accession Number: Purification Method: CL594-98158 NM_009855.2 Protein A purification

 Size:
 GeneID (NCBI):
 CloneNo.:

 100ug, 500 ug/ml
 12519
 241371E12

Source: UNIPROT ID: Recommended Dilutions:

Rabbit Q00609-1 FC: 0.25 ug per 10⁻⁶ cells in a 100 μl

Isotype: Full Name: suspension

IgG CD80 antigen Excitation/Emission maxima

Immunogen Catalog Number:Calculated MW:wavelengths:EG084035 kDa588 nm / 604 nm

Applications

Tested Applications:

FC

Species Specificity:

mouse

Positive Controls:

FC: mouse peritoneal macrophages,

Background Information

CD80 (also known as B7-1) is a type I membrane protein that is a member of the immunoglobulin superfamily, with an extracellular immunoglobulin constant-like domain and a variable-like domain required for receptor binding. It is expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, monocytes, and macrophages. CD80 is the receptor for the proteins CD28 and CTLA-4 found on the surface of T-cells. It is involved in the costimulatory signal essential for T-lymphocyte activation. T-cell proliferation and cytokine production is induced by the binding of CD28, binding to CTLA-4 has opposite effects and inhibits T-cell activation. CD80 also acts as a cellular attachment receptor for adenovirus subgroup B. (PMID: 7545666; 12015893; 16920215)

Storage


Storage:

Store at 2-8 °C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1x10^6 mouse peritoneal macrophages were surface stained with 0.25 ug Coralite®594 Anti-Mouse CD80 Rabbit RecAb (CL594-98158, Clone: 241371E12) or Coralite®594 Rabbit 1gG Isotype Control RecAb (CL594-98136, Clone: 240953C9). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.



1x10^6 mouse peritoneal macrophages were surface stained with 0.25 ug Coralite®594 Anti-Mouse CD80 Rabbit RecAb (CL594-98158, Clone: 241371E12) (red) or Coralite®594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9) (blue). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.