For Research Use Only

CoraLite®594 Anti-Human IFN-gamma Rabbit Recombinant Antibody

Catalog Number: CL594-98187




Basic Information	Catalog Number: CL594-98187	GenBank Accession Number: BC070256	Purification Method: Protein A purification
	Size:	GenelD (NCBI):	CloneNo.:
	100tests , 5 ul/test	3458	241390B10
	Source: Rabbit	ENSEMBL Gene ID: ENSG00000111537	Excitation/Emission maxima wavelengths: 588 nm / 604 nm
	lsotype: IgG	UNIPROT ID: P01579 Full Name: IFN gamma	
	Immunogen Catalog Number: EG0004		
	20004	Calculated MW: 166 aa, 19 kDa	
Applications	Tested Applications: FC (Intra)		
	Species Specificity: human		
Background Informatic	Interferon gamma (IFN γ), is a type II interferon that provides immunity against bacterial, viral and protozoan infections. In its active form, IFN γ is a glycosylated, non-covalently linked homodimer of 29-32 kDa subunits. It is produced by a number of immune cell types including natural killer cells, natural killer T cells, and effector lymphocyte T cells following antigenic and inflammatory triggers. The IFN γ dimer binds to its cognate receptor which has two subunits: IFN- γ R1 which is the ligand-binding chain (α chain) and IFN- γ R2, the signal-transducing chain (β chain). Binding to the receptor activates the JAK/STAT pathway which in turn activates IFN γ responsive genes. While IFN γ can inhibit viral replication, it also works as an immune-modulator and immune-stimulator by increasing surface expression of class I MHC proteins. (PMID: 19268625; 10688427)		
Storage	Storage: Store at 2-8°C. Avoid exposure to Storage Buffer: PBS with 0.09% sodium azide and	light. Stable for one year after shipme I 0.5% BSA, pH7.3	ent.

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^{^6} untreated or PMA, Ionomycin and Brefeldin A treated human PBMCs were intracellularly stained with 0.25 ug CoraLite®594 Anti-Human IFN-gamma Rabbit RecAb (CL594-98187, Clone: 241390B10) and FITC Plus Anti-Human CD3 (OKT3) (FITC-65133, Clone: OKT3). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).