## For Research Use Only

## CoraLite®594 Anti-Mouse F4/80 Rabbit Recombinant Antibody

Catalog Number: CL594-98236





Basic Information	Catalog Number: CL594-98236	GenBank Accession Number: NM_010130.4	Purification Method: Protein A purification
	Size: 100ug , 500 µg/ml	GenelD (NCBI): 13733	CloneNo.: 241959G4
	Source: Rabbit	UNIPROT ID: Q61549	
	Isotype: IgG	Full Name: EGF-like module containing, muci like, hormone receptor-like seque 1	
		Calculated MW: 102 kDa	
Applications	Tested Applications: FC Species Specificity:		
	mouse		
Background Information	Mouse F4/80, also named as EMR1 and Gpf480, is a 160-kDa cell surface glycoprotein which is a member of the EGF TM7 family. The F4/80 molecule is solely expressed on the surface of macrophages and serves as a marker for mature macrophage tissues, including Kupffer cells in liver, splenic red pulp macrophages, brain microglia, gut lamina propria and Langerhans cells in the skin. The function of F4/80 is unclear, but it is speculated to be involved in macrophage adhesion events, cell migration or as a G protein-coupled signaling component of macrophages.		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





1x10^6 mouse peritoneal macrophages were surface stained with FITC Plus Anti-Mouse CD11b, and 0.25 ug Coralite®594 Anti-Mouse F4/80 Rabbit RecAb (CL594-98236, Clone: 241959G4) or 0.25 ug Coralite®594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9). Cells were incubated with FC Receptor Block prior to fixing and staining. Cells were not fixed.

1x10^6 mouse peritoneal macrophages were surface stained with 0.25 ug CoraLite®594 Anti-Mouse F4/80 Rabbit RecAb (CL594-98236, Clone: 241959G4) (red) or 0.25 ug CoraLite®594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9) (blue). Cells were incubated with FC Receptor Block prior to fixing and staining. Cells were not fixed.