For Research Use Only

CoraLite® Plus 647-conjugated TGFBI / BIGH3 Polyclonal antibody

www.ptglab.com

Purification Method:

wavelengths: 654 nm / 674 nm

Antigen affinity purification

Excitation/Emission maxima

Catalog Number: CL647-10188

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL647-10188 BC000097 GeneID (NCBI): 100ul, Concentration: 1000 ug/ml by 7045

Nanodrop: ENSEMBL Gene ID: ENSG00000120708 Rabbit **UNIPROT ID:** Isotype Q15582 IgG Full Name:

Immunogen Catalog Number: transforming growth factor, beta-

induced, 68kDa AG0241 Calculated MW:

683 aa. 75 kDa

Applications

Tested Applications:

FC (Intra)

Species Specificity:

human, mouse, rat

Background Information

TGFBI, also named as BIGH3, Kerato-epithelin and RGD-CAP, binds to type I, II, and IV collagens. TGFBI is an adhesion protein which may play an important role in cell-collagen interactions. In cartilage, it may be involved in endochondral bone formation. TGFBI is an extracellular matrix adaptor protein, it has been reported to be differentially expressed in transformed tissues. TGFBI is a predictive factor of the response to chemotherapy, and suggest the use of TGFBI-derived peptides as possible therapeutic adjuvants for the enhancement of responses to chemotherapy (PMID:20509890) Defects in TGFBI are the cause of epithelial basement membrane corneal dystrophy (EBMD). Defects in TGFBI are the cause of corneal dystrophy Groenouw type 1 (CDGG1). Defects in TGFBI are the cause of corneal dystrophy lattice type 1 (CDL1). Defects in TGFBI are a cause of corneal dystrophy Thiel-Behnke type (CDTB). Defects in TGFBI are the cause of Reis-Buecklers corneal dystrophy (CDRB). Defects in TGFBI are the cause of lattice corneal dystrophy type 3A (CDL3A). Defects in TGFBI are the cause of Avellino corneal dystrophy (ACD).

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1x10^6 Y79 cells were intracellularly stained with 0.8 ug CoraLite® Plus 647-conjugated TGFBI / BIGH3 Polyclonal antibody (CL647-10188)(red), or 0.8 ug CoraLite® Plus 647-conjugated Rabbit IgG control Rabbit PolyAb (CL647-30000) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).