For Research Use Only

CoraLite® Plus 647-conjugated HDAC1 Polyclonal antibody

Catalog Number: CL647-10197

Featured Product

Antibodies | ELISA kits | Proteins WWW.ptglab.com

Basic Information	Catalog Number: CL647-10197	GenBank Accession Number: BC 000301	Purification Method: Antigen affinity purification
	Size: 100ul, Concentration: 1000 µg/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG0256	GenelD (NCBI):	Excitation/Emission maxima wavelengths: 654 nm / 674 nm
Applications	Tested Applications: Species Specificity: human, mouse, rat	60 kDa	
Background Information	Histone deacetylases(HDAC) are a class of enzymes that remove the acetyl groups from the lysine residues leading to the formation of a condensed and transcriptionally silenced chromatin. The protein encoded by this gene belongs to the histone deacetylase/acuc/apha family and is a component of the histone deacetylase complex, which is responsible for gene expression silencing. It also plays an important role in the control of cell proliferation and differentiation by interacting with RB, p53 and other transcription factors. At least 4 classes of HDAC were identified As a class I HDAC, HDAC 1 was primarily found in the nucleus. This antibody is a rabbit polyclonal antibody raised against residues near the C terminus of human HDAC1. The calcualted molecular weight of HDAC1 is 55 kDa, but modified HDAC1 is about 60-65 kDa.		
Storage	Storage: Store at -20°C. Avoid exposure to ligh Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin Aliquoting is unnecessary for -20°C st	n300, 0.5% BSA, pH 7.3.	nt.

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer. Selected Validation Data