For Research Use Only

CoraLite® Plus 647-conjugated PAX8 Polyclonal antibody



Catalog Number: CL647-10336 Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL647-10336 BC001060 GeneID (NCBI): Size:

100ul, Concentration: 1000 ug/ml by 7849

Nanodrop; **UNIPROT ID:** Source Q06710

Rabbit Full Name: paired box 8 Isotype IgG Calculated MW:

Immunogen Catalog Number: 48 kDa

AG0306 Observed MW:

48 kDa, 58 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

IF-P 1:50-1:500 IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 654 nm / 674 nm

Applications

Tested Applications:

IF/ICC, IF-P

Species Specificity: human, mouse, rat

Positive Controls:

IF-P: mouse kidney tissue,

IF/ICC: SKOV-3 cells,

Background Information

PAX8 is a member of the paired box (PAX) family of transcription factors, typically containing a paired box domain and a paired-type homeodomain. It is expressed during organogenesis of the thyroid gland, kidney and Mullerian system. It is thought to regulate the expression of Wilms tumor suppressor (WT1) gene and mutations in PAX8 have been associated with Wilms tumor cells, thyroid and ovarian carcinomas. PAX8 is a useful marker in distinguishing ovarian carcinomas from mammary carcinomas (PMID: 18724243). PAX8 is expressed in a high percentage of ovarian serous, endometrioid, and clear cell carcinomas, but only rarely in primary ovarian mucinous adenocarcinomas.

This antibody can detect all 5 isoforms of PAX8 (31 kDa, 34 kDa, 41 kDa, 43 kDa and 48 kDa). A 58-60 kDa form has also been reported (PMID:15650356, 1049952). Proteintech's 10336-1-AP antibody has cross-reactivities with the other PAX family members.

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed SKOV-3 cells using CoraLite® Plus 647 PAX8 antibody (CL647-10336) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse kidney tissue using CoraLite® Plus 647 PAX8 antibody (CL647-10336) at dilution of 1:200. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).