For Research Use Only

CoraLite® Plus 647 Anti-Human CD20 (2H7)



Catalog Number:CL647-65085

Basic Information	Catalog Number: CL647-65085	GenBank Accession Number: BC002807	Purification Method: Affinity purification				
	Size: 100tests , 5 µl/test	GenelD (NCBI): 931	CloneNo.: 2H7				
	Source: Mouse Isotype: IgG2b, kappa	Full Name: membrane-spanning 4-domains, subfamily A, member 1 Calculated MW: 297 aa, 33 kDa	Excitation/Emission maxima wavelengths: 650 nm / 665 nm				
				Applications	Tested Applications: FC		
					Species Specificity: Human		
Background Information	CD20 is a 33-37 kDa transmembrane phosphoprotein belonging to the membrane-spanning 4A family (PMID: 3260267; 16785532). CD20 is a B-lymphocyte surface molecule that is widely expressed during B-cell ontogeny, from early pre-B-cell developmental stages until final differentiation into plasma cells (PMID: 7524522). CD20 functions as calcium-permeable cation channel (PMID: 7684739). It is involved in the regulation of B-cell activation, proliferation and differentiation (PMID: 7524522).						
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.1% sodium azide and 0.5% BSA, pH 7.3.						


 For technical support and original validation data for this product please contact:


 T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
 E: proteintech@ptglab.com

 W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1X10^{^6} human PBMCs were surface co-stained with PerCP Anti-Human CD19 and 5 ul CoraLite® Plus 647 Anti-Human CD20 (CL647-65085, Clone: 2H7), or APC Mouse IgG2b Isotype Control. Cells were not fixed. Lymphocytes were gated.

1X10^{^6} human PBMCs were surface stained with 5 ul CoraLite® Plus 647 Anti-Human CD20 (CL647-65085, Clone: 2H7), or APC Mouse IgC2b Isotype Control. Cells were not fixed. Lymphocytes were gated.