For Research Use Only

CoraLite® Plus 647 Anti-Rat CD8a (OX-8)




Catalog Number:CL647-65180

Basic Information	Catalog Number: CL647-65180	GenBank Accession Number: BC088126	Purification Method: Purified by protein-A affinity chromatography CloneNo.: OX-8			
	Size: 100ug , 500 µg/ml Source: Mouse Isotype: IgG1, kappa	GeneID (NCBI): 24930 UNIPROT ID: P07725 Full Name: CD8a molecule				
				Excitation/Emission maxima wavelengths: 654 nm / 674 nm		
			Applications		Tested Applications: FC	
				Species Specificity: Rat		
Background Information	CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8aβ heterodimer while CD8aa homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) γ δ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).					
Storage	Storage: Store at 2-8°C. Avoid exposure Storage Buffer: PBS with 0.09% sodium azide.	to light. Stable for one year after shipme	nt.			

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^6 Wistar rat splenocytes were surface stained with 0.5 ug CoraLite® Plus 647 Anti-Rat CD8a (CL647-65180, Clone: OX-8) (red), or 0.5 ug Control Antibody. Cells were not fixed.