For Research Use Only

CoraLite® Plus 647 Anti-Human CD146 (P1H12)



Purification Method:

654 nm / 674 nm

Catalog Number: CL647-65181

Basic Information

Catalog Number: GenBank Accession Number: CL647-65181 BC056418

L647-65181 BC056418 Affinity purification ze: Genel D (NCBI): CloneNo.:

100tests , 5 µl/test 4162 P1H12

Source: Full Name: Excitation/Emission maxima
Mouse melanoma cell adhesion molecule wavelengths:

Isotype: Calculated MW: IgG1, kappa 646 aa, 72 kDa

Applications

Tested Applications:

FC

Species Specificity:

Rabbit, Canine, Mouse, Human

Background Information

CD146, also known as melanoma cell adhesion molecule (MCAM) or MUC 18, originally identified as a biomarker of melanoma progression, is a transmembrane glycoprotein of 113-130 kDa, belonging to the immunoglobulin (Ig) superfamily (PMID: 8378324; 25993332). Structurally, it consists of five Ig domains, a transmembrane domain, and a cytoplasmic region. In normal adult tissue, CD146 is primarily expressed by vascular endothelium and smooth muscle. CD146 is a key cell adhesion protein in vascular endothelial cell activity and angiogenesis, and has been used as marker of circulating endothelium cells (CECs) (PMID: 19356677). In addition to the membrane-anchored form of CD146, a soluble form of CD146 (sCD146, 105 kDa) has also been found in human plasma and in the supernatant of cultured human endothelial cells (PMID: 9462829; 19229070; 16374253; 14597988).

Storage


Storage:

Store at 2-8 °C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 A375 cells were surface stained with 5 ul CoraLite® Plus 647 Anti-Human CD146 (CL647-65181, Clone:P1H12), or Mouse IgG1 Isotype Control. Cells were not fixed.



1X10^6 A375 cells were surface stained with 5 ul Coralite® Plus 647 Anti-Human CD146 (CL647-65181, Clone:P1H12), or Mouse IgG1 Isotype Control. Cells were not fixed.