For Research Use Only

CoraLite® Plus 647-conjugated PKC Iota Monoclonal antibody



Catalog Number: CL647-66493

Featured Product

Basic Information

Catalog Number:

CL647-66493

100ul, Concentration: 1 mg/mL by

Nanodrop;

Source: Mouse

Isotype: IgG2a

Immunogen Catalog Number:

AG4990

GenBank Accession Number: BC022016

GeneID (NCBI):

5584

Full Name:

protein kinase C, iota

Calculated MW:

68 kDa

Observed MW:

70 kDa

Applications

Tested Applications:

FC (Intra)

Species Specificity:

Human, rat, mouse

Purification Method: Protein A purification

CloneNo.:

3A1B6

Excitation/Emission maxima

wavelengths: 654 nm / 674 nm

Background Information

The atypical protein kinase C isoform PRKC iota (PRKCI) is a member of the protein kinase C (PKC) family of serine/threonine protein kinases. PKC family comprises at least eight members, which are differentially expressed and are involved in a wide variety of cellular processes. PRKC iota is calcium-independent and phospholipid-dependent. It is not activated by phorbolesters or diacylglycerol. This kinase can be recruited to vesicle tubular clusters (VTCs) by direct interaction with the small GTPase RAB2, where this kinase phosphorylates glyceraldehyde-3-phosphate dehydrogenase (GAPD/GAPDH) and plays a role in microtubule dynamics in the early secretory pathway. This kinase is found to be necessary for BCL-ABL-mediated resistance to drug-induced apoptosis and therefore protects leukemia cells against drug-induced apoptosis. PRKC iota plays a key role in cell proliferation, differentiation, and carcinogenesis, and it has been shown to be a human oncogene.

Storage

Storage

Store at -20 °C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.2 ug CoraLite® Plus 647 Anti-Human PKC lota (CL647-66493, Clone:3A1B6) (red), or 0.2 ug APC-65128; APC Mouse IgG2b Isotype Control (APC-65128, Clone: MPC-11) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).