## For Research Use Only

## CoraLite® Plus 647-conjugated MFN2 Monoclonal antibody

Catalog Number:CL647-67487 Featured Product


Antibodies | ELISA kits | Proteins www.ptglab.com

Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** CL647-67487 BC017061 Protein A purification GenelD (NCBI): Size: CloneNo.: 100ul, Concentration: 1000 ug/ml by 9927 5F3B3 Nanodrop: ENSEMBL Gene ID: Excitation/Emission maxima Source: ENSG00000116688 wavelengths: 654 nm / 674 nm Mouse UNIPROT ID: Isotype: 095140 lgG2a Full Name: Immunogen Catalog Number: mitofusin 2 AG29873 Calculated MW: 757 aa, 86 kDa **Observed MW:** 86 kDa **Tested Applications: Applications** FC (Intra) **Species Specificity:** Human, Mouse, Rat **Background Information** MFN2, also named as CPRP1 and KIAA0214, belongs to the mitofusin family. It is an Essential transmembrane GTPase, which mediates mitochondrial fusion. MFN2 acts independently of the cytoskeleton. It therefore plays a central role in mitochondrial metabolism and may be associated with obesity and/or apoptosis processes. Overexpression of MFN2 induces the formation of mitochondrial networks. It plays an important role in the regulation of vascular smooth muscle cell proliferation. Defects in MFN2 are the cause of Charcot-Marie-Tooth disease type 2A2 (CMT2A2). Defects in MFN2 are the cause of Charcot-Marie-Tooth disease type 6 (CMT6). Ubiquitinated forms of Mfn2 (mono- and polyubiquitinated) are present during mitophagy. Storage: Storage Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free<br/>in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1X10^6 HepG2 cells were intracellularly stained with 0.2 ug CoraLite® Plus 647 Anti-Human MFN2 (CL647-67487, Clone:5F3B3) (red), or 0.2 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).