For Research Use Only

CoraLite® Plus 647-conjugated DNM2 Monoclonal antibody

proteintech®

Antibodies | ELISA kits | Proteins

www.ptglab.com

Purification Method:

Protein G purification

Recommended Dilutions:

Excitation/Emission maxima

IF/ICC 1:50-1:500

wavelengths: 654 nm / 674 nm

CloneNo.:

1B8H3

Catalog Number: CL647-68209

Basic Information

Catalog Number: GenBank Accession Number:

CL647-68209 BC054501
Size: GeneID (NCBI):

100ul , Concentration: 1000 ug/ml by 1785

Nanodrop; UNIPROT ID: Source: P50570

Mouse Full Name: Isotype: dynamin 2

IgG1 Calculated MW:

Immunogen Catalog Number: 98 kDa

AG6274 Observed MW:

100 kDa

Applications

Tested Applications:

IF/ICC

Species Specificity:

Human, mouse, rat, pig, rabbit

Positive Controls: IF/ICC : HeLa cells,

Background Information

DNM2, also known as DYN2, DYNII, CMTDI1, CMTDIB, belongs to the dynamin family. DNM2 is a ubiquitously expressed large GTPase involved in clathrin-dependent and -independent endocytosis and intracellular membrane trafficking. DNM2 plays a role in the regulation of neuron morphology, axon growth, and the formation of neuronal growth cones. Dynamins are associated with microtubules. DNM2 plays an important role in endocytosis and is involved in cytokinesis (PMID: 33713620, 12498685). Mutations in DNM2 cause dominant centronuclear myopathy (PMID: 16227997). Defects in DNM2 are the cause of Charcot-Marie-Tooth disease dominant intermediate type B (CMTDIB) (PMID: 15731758). Alternate splicing results in multiple transcript variants.

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Methanol) fixed Hela cells using CoraLite® Plus 647 DNM2 antibody (CL647-68209, Clone: 1B8H3) at dilution of 1:200.