

For Research Use Only

CoraLite® Plus 647 Anti-Mouse IL-13 Rabbit Recombinant Antibody

Catalog Number: CL647-98003



Basic Information

Catalog Number:

CL647-98003

Size:

100ug, 500 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

EG0266

GenBank Accession Number:

NM_008355

GeneID (NCBI):

16163

UNIPROT ID:

P20109

Full Name:

interleukin 13

Calculated MW:

14 kDa

Purification Method:

Protein A purification

CloneNo.:

2C14

Recommended Dilutions:

FC (Intra): 0.25 ug per 10⁶ cells in a 100 µl suspension

Excitation/Emission maxima wavelengths:

654 nm / 674 nm

Applications

Tested Applications:

FC (Intra)

Species Specificity:

mouse

Positive Controls:

FC (Intra): PMA, Ionomycin and Brefeldin A treated C57BL/6 Th2-polarized splenocytes,

Background Information

Interleukin 13 (IL-13) is an immunoregulatory cytokine produced primarily by activated Th2 cells. This cytokine is involved in several stages of B-cell maturation and differentiation. IL-13 up-regulates CD23 and MHC class II expression, and promotes IgE isotype switching of B cells. IL-13 inhibits the production of a series of cytokines like IL-1, IL-6, TNF-alpha, and IL-8 by activated human monocytes. IL-13 induces IFN-gamma production by NK cells. IL-13 is thought to be an important cytokine in the pathogenesis of asthma, and more recently has been shown to play a pivotal role in a number of fibrotic diseases, including hepatic and pulmonary fibrosis, and nodular sclerosing Hodgkin's disease.

Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ untreated or PMA, Ionomycin and Brefeldin A treated C57BL/6 Th2-polarized splenocytes were intracellularly stained with FITC Plus Anti-Mouse CD4 and 0.25 ug CoraLite® Plus 647 Anti-Mouse IL-13 (2C14) Rabbit RecAb (CL647-98003, Clone:2C14). Cells were fixed and permeabilized with Intracellular Flow Cytometry Fixation & Permeabilization Buffer Kit (PF00019).