For Research Use Only

## CoraLite®647-conjugated Histone-H3 Polyclonal antibody



**Purification Method:** 

wavelengths:

654 nm / 674 nm

Antigen affinity purification

Excitation/Emission maxima

Catalog Number: CL650-17168

**Basic Information** 

Catalog Number: GenBank Accession Number:

CL650-17168 BC015544

Size: Genel D (NCBI):
100ul , Concentration: 1000 µg/ml by 333932

Source: histone cluster 2, H3a
Rabbit Calculated MW:
Isotype: 136 aa, 15 kDa
IgG Observed MW:
Immunogen Catalog Number: 15-17 kDa

AG10644

**Applications** 

**Tested Applications:** 

FC (Intra)

Species Specificity: human, mouse, rat

**Background Information** 

Histone-H3, histone cluster 2, H3a is the core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machinery which requires DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling. Histone-H3 is expressed during S phase; then expression strongly decreases as cell division slows down during the process of differentiation.

Storage

Storage

Store at -20°C. Avoid exposure to light.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

Selected Validation Data