For Research Use Only

CoraLite® Plus 750 Anti-Human CD19 (HIB19)



Catalog Number: CL750-65110

Basic Information

Catalog Number:

GenBank Accession Number: BC006338

Purification Method: Affinity purification

CL750-65110

Mouse

GeneID (NCBI):

CloneNo.: HIB19

100tests , 5 ul/test

930
Full Name:
CD19 molecule
Calculated MW:

556 aa, 61 kDa

Excitation/Emission maxima

Isotype: IgG1, kappa wavelengths: 755 nm / 780 nm

Applications

Tested Applications:

FC

Species Specificity:

Human

Background Information

CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD3 and 5 ul CoraLite® Plus 750 Anti-Human CD19 (CL750-65110, Clone:HIB19) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 750 Anti-Human CD19 (CL750-65110, Clone:HIB19) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.