For Research Use Only

CoraLite® Plus 750 Anti-Mouse PD-1/CD279 Rabbit Recombinant Antibody

Catalog Number: CL750-98080





Basic Information	Catalog Number: CL750-98080	GenBank Accession Number: NM_008798.2	Purification Method: Protein A purification
	Size: 100ug , 500 µg/ml	Genel D (NCBI): 18566	CloneNo.: 240389B8
	Source: Rabbit	bbit Q02242 wavelengths: ptype: Full Name: 755 nm / 780 nm	
	Isotype: IgG		755 nm / 780 nm
		Calculated MW: 32 kDa	
Applications	Tested Applications: FC		
	Species Specificity: mouse		
Background Information	Programmed cell death 1 (PD-1, also known as CD279) is an immunoinhibitory receptor that belongs to the CD28/CTLA-4 subfamily of the Ig superfamily. It is a 288 amino acid (aa) type I transmembrane protein composed of one Ig superfamily domain, a stalk, a transmembrane domain, and an intracellular domain containing an immunoreceptor tyrosine-based inhibitory motif (ITIM) as well as an immunoreceptor tyrosine-based switch motif (ITSM) (PMID: 18173375). PD-1 is expressed during thymic development and is induced in a variety of hematopoietic cells in the periphery by antigen receptor signaling and cytokines (PMID: 20636820). Engagement of PD-1 by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function (PMID: 19426218). It is critical for the regulation of T cell function during immunity and tolerance. Blockade of PD-1 can overcome immune resistance and also has been shown to have antitumor activity (PMID: 22658127; 23169436).		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10[^]6 untreated or anti-CD3/CD28 treated mouse splenocytes were surface stained with FITC Plus Anti-Mouse CD3 and 0.25 ug CoraLite® Plus 750 Anti-Mouse PD-1/CD279 Rabbit RecAb (CL750-98080, Clone:240389B8). Cells were not fixed.

1x10^6 anti-CD3/CD28 treated mouse splenocytes were surface stained with 0.25 ug CoraLite® Plus 750 Anti-Mouse PD-1/CD279 Rabbit RecAb (CL750-98080, Clone:24038988) (red) or CoraLite® Plus 750 Rabbit 1gG Isotype Control RecAb (CL750-98136, Clone: 240953C9) (blue). 1x10^6 untreated mouse splenocytes were surface stained with 0.25 ug CoraLite® Plus 750 Anti-Mouse PD-1/CD279 Rabbit RecAb (CL750-98080, Clone:24038988) (black,