For Research Use Only

Cardinal Red™ Anti-Human CD3 (Hit3a)




Catalog Number: CR-65112


Basic Information	Catalog Number:	GenBank Accession Number:	Purification Method:				
	CR-65112	BC049847	Affinity purification				
	Size:	GeneID (NCBI):	CloneNo.:				
	100tests , 5 µl/test	916	Hit3a				
	Source: Mouse Isotype: IgG2a, kappa	Full Name: CD3e molecule, epsilon (CD3-TCR complex) Calculated MW:	Excitation/Emission maxima wavelengths: 592 nm / 611 nm				
				207 aa, 23 kDa			
				Applications	Tested Applications: FC		
		Species Specificity:					
Human							
Background Information	CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 γ , δ , ϵ , and ζ chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).						
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA.						

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1X10[^]6 human PBMCs were surface stained with CL750 Anti-Human CD45 and 5 ul Cardinal Red[™] Anti-Human CD3 (CR-65112, Clone:Hit3a), or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.

1X10[^]6 human PBMCs were surface stained with 5 ul Cardinal Red[™] Anti-Human CD3 (CR-65112, Clone:Hit3a), or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.