For Research Use Only

Cardinal Red™ Anti-Human CD3 (OKT3)



Catalog Number: CR-65133

Basic Information

Catalog Number:

CR-65133

100tests, 5 ul/test

Mouse Isotype:

IgG2a, kappa

207 aa, 23 kDa

Calculated MW:

complex)

BC049847 GeneID (NCBI):

916 Full Name:

GenBank Accession Number:

CD3e molecule, epsilon (CD3-TCR

Purification Method: Affinity purification

CloneNo.: OKT3

Excitation/Emission maxima

wavelengths: 592 nm / 611 nm

Applications

Tested Applications:

Species Specificity:

Background Information

 ${\tt CD3}\ is\ a\ multimeric\ protein\ associated\ with\ the\ T-cell\ receptor\ (TCR)\ to\ form\ a\ complex\ involved\ in\ antigen$ recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 γ , δ , ϵ , and ζ chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).

Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:


PBS with 0.09% sodium azide and 0.5% BSA.

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD19 and 5 ul Cardinal Red™ Anti-Human CD3 (CR-65133, Clone:OKT3) or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Cardinal Red™ Anti-Human CD3 (CR-65133, Clone:OKT3) (red) or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.