For Research Use Only

Cardinal Red™ Anti-Human CD8 (UCHT4)



Catalog Number:CR-65204

Basic Information	Catalog Number: CR-65204	GenBank Accession Number: BC025715	Purification Method: Protein A purification
	Size: 100tests , 5 µl/test	GenelD (NCBI): 925	CloneNo.: UCHT4
	Source: Mouse Isotype: IgG2a	Full Name: CD8a molecule Calculated MW: 235 aa, 26 kDa	Excitation/Emission maxima wavelengths: 592 nm / 611 nm
Background Information			d chains. It can be present as a homodimer o
	CD8a or as a heterodimer of CD8a and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8aβ heterodimer while CD8aa homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) γδ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).		
Storage	Storage: Store at 2-8°C. Avoid exposu Storage Buffer:	re to light. Stable for one year after shipme	nt.


 For technical support and original validation data for this product please contact:

 T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
 E: proteintech@ptglab.com

 W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10[^]6 human PBMCs were surface stained with 5 ul Cardinal Red[™] Anti-Human CD8 (CR-65204, Clone:UCHT4), or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.