For Research Use Only

## FITC Plus Anti-Mouse CD38 (90)

Catalog Number:FITC-65059




Basic Information	Catalog Number: FITC-65059	GenBank Accession Number: BC046312	Purification Method: Affinity purification
	<mark>Size:</mark> 100ug , 0.5 mg/ml	GenelD (NCBI): 12494	CloneNo.: 90
	Source: Rat Isotype: IgG2a, kappa	Full Name: CD38 antigen	Excitation/Emission maxima wavelengths: 495 nm / 524 nm
Applications	Tested Applications: FC Species Specificity:		
Background Information	Mouse CD38, also known as ADP-ribosyl cyclase 1, is a type II transmembrane glycoprotein with a short N-terminal cytoplasmic tail, a single membrane-spanning domain, and a C-terminal extracellular region with four N- glycosylation sites (PMID: 2319135). The extracellular domain of CD38 has bifunctional enzyme activities that catalyze synthesis of cyclic ADP ribose from nicotinamide adenine dinucleotide (NAD) and hydrolysis of cyclic ADP ribose to adenosine diphosphoribose (PMID: 10636863). CD38 is expressed on a variety of hematopoietic and non- hematopoietic cells and is involved in diverse processes such as generation of calcium-mobilizing metabolites, cell activation, and chemotaxis (PMID: 25938500).		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide.		


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



1X10^6 mouse splenocytes were surface stained with 0.5 ug FITC Plus Anti-Mouse CD38 (FITC-65059, Clone:90) (red), or 0.5 ug Isotype Control. Cells were not fixed.



1X10^6 C57BL/6 mouse splenocytes were surface stained with 0.2 ug FITC Plus Anti-Mouse CD38 (FITC-65059, Clone:90) (red), or 0.2 ug Isotype Control. Cells were not fixed.



1X10<sup>^6</sup> mouse splenocytes were surface stained with 0.5 ug FITC Plus Anti-Mouse CD38 (FITC-65059, Clone:90) or 0.5 ug Isotype Control. Cells were not fixed.