For Research Use Only

## FITC Plus Anti-Mouse CD25/IL2RA (PC61.5)

Catalog Number:FITC-65137 3 Publications




Basic Information	Catalog Number: FITC-65137	GenBank Accession Number: BC114437		Purification Method: Affinity purification
	Size:	GenelD (N		CloneNo.:
	100ug , 0.5 mg/ml	16184		PC61.5
	Source: Rat			Excitation/Emission maxima wavelengths: 495 nm / 524 nm nain
	Isotype:Full Name:IgG1, lambdainterleukin 2 receptor, alpha c			
Applications	Tested Applications: FC			
	Cited Applications: FC			
	Species Specificity: mouse			
	Cited Species:			
	mouse			
Background Information	Proliferation of T lymphocytes is triggered by the interaction of IL-2 with its specific receptor following T lymphocyte activation. The receptor for IL-2 has three forms, generated by different combinations of three differen proteins, the alpha chain (IL-2R alpha), the beta chain (IL-2R beta), and the gamma chain (IL-2R gamma) (PMID: 8476561). IL-2R alpha (also known as CD25) is a type I transmembrane protein present on activated T cells, activated B cells, some thymocytes, myeloid precursors, and oligodendrocytes. CD25 is also found on natural CD4+Foxp3+ Treg cells (PMID: 22585674).			
Notable Publications	Author	Pubmed ID	Journal	Application
	Li Wu	35344716	Phytomedicine	FC
	Hui Meng	39261658	Oncogene	FC
	Bin Qian	38758648	Cell Rep	
<u></u>	Storage:			
Storage	Storage Buffer:	sure to light. Stable for	r one year after shipme	nt.


PBS with 0.09% sodium azide.

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





1x10^6 untreated or anti-CD3/CD28 treated (2 days) mouse splenocytes were surface stained with CoraLite® Plus 647 Anti-Mouse CD4 and 0.25 ug FITC Plus Anti-Mouse CD25 (PC61.5) (FITC-65137, Clone: PC61.5). Cells were not fixed.

1x10<sup>^</sup>6 anti-CD3/CD28 treated (2 days) mouse splenocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse CD25 (PC61.5) (FITC-65137, Clone: PC61.5) (red) or 0.25 ug FITC Plus Rat |gG1 |sotype Control (HRPN) (FITC-65212, Clone: HRPN) (blue). 1x10<sup>^</sup>6 untreated mouse splenocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse CD25 (PC61.5) (FITC-65137, Clone: PC61.5) (black, dashed). Cells were not fixed.