For Research Use Only

FITC Plus Anti-Human CD3 (UCHT1)

Catalog Number: FITC-65151



Basic Information

Catalog Number: FITC-65151

BC049847

Purification Method: Affinity purification

Size:

GeneID (NCBI): 916

GenBank Accession Number:

CloneNo.: UCHT1

100tests , 5 µl/test

Full Name:

Excitation/Emission maxima

Mouse

CD3e molecule, epsilon (CD3-TCR complex)

wavelengths: 495 nm / 524 nm

Isotype: IgG1, kappa

Calculated MW: 207 aa, 23 kDa

Applications

Tested Applications:

FC

Species Specificity:

Human

Background Information

CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 γ , δ , ϵ , and ζ chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with CL647 Plus Anti-Human CD19 and 5 ul FITC Plus Anti-Human CD3 (FITC-65151, Clone:UCHT1) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated



1X10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD3 (FITC-65151, Clone:UCHT1) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated