For Research Use Only

FITC Plus Anti-Human CD62P (AK4)

Catalog Number: FITC-65164



Basic Information

Catalog Number: FITC-65164

100tests , 5 µl/test

Mouse

Isotype: IgG1, kappa GenBank Accession Number:

BC028067 GeneID (NCBI):

6403

Full Name:

selectin P (granule membrane protein 140kDa, antigen CD62)

Calculated MW:

830 aa, 91 kDa

Purification Method:

The purified antibody is conjugated with fluorescein isothiocyanate (FITC) under optimum conditions. The conjugate is purified by sizeexclusion chromatography.

CloneNo.:

AK4

Excitation/Emission maxima

wavelengths: 495 nm / 524 nm

Applications

Tested Applications:

Species Specificity:

Human, Non-human primates

Background Information

 $P-selectin, also known as \,GMP140 \,or \,CD62P, is \,a \,transmembrane \,gly coprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is \,a \,transmembrane \,gly coprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is \,a \,transmembrane \,gly coprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is \,a \,transmembrane \,gly coprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is \,a \,transmembrane \,gly coprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is \,a \,transmembrane \,gly coprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is \,a \,transmembrane \,gly coprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is \,a \,transmembrane \,gly \,or \,CD62P, is \,a \,transmembr$ activated endothelial cells or platelets with leukocytes. It is an adhesion molecule involved in the pathogenesis of inflammation, thrombosis, and oncogenesis. P-selectin is stored in the alpha-granules of platelets and Weibel-Palade bodies of endothelial cells. Upon cell activation by agonists, P-selectin is transported rapidly to the cell surface.

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.1% sodium azide.

Selected Validation Data



Thrombin-activated human peripheral blood platelets were surface co-stained with APC Anti-Human CD41a and 5 ul FITC Anti-Human CD62P (FITC-65164, Clone: AK4) or unstained. Cells were not fixed.