For Research Use Only

FITC Plus Anti-Human CD8 (UCHT4)

Catalog Number: FITC-65204



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method: Protein A purification

FITC-65204

GeneID (NCBI):

CloneNo.:

494 nm / 520 nm

100tests , 5 µl/test

925

BC025715

UCHT4

Mouse

Full Name: CD8a molecule Excitation/Emission maxima wavelengths:

Isotype: IgG2a Calculated MW: 235 aa, 26 kDa

Applications

Tested Applications:

FC

Species Specificity:

Human

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8 α or as a heterodimer of CD8 α and CD8 β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8 α heterodimer while CD8 α homodimers alone have been found on some gut intraepithelial T cells , on some T cell receptor (TCR) γ δ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+ T cells (PMID: 1968084).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with PE Anti-Human CD3 and 5 ul FITC Plus Anti-Human CD8 (FITC-65204, Clone:UCHT4) or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.