For Research Use Only

FITC Plus Anti-Human CD58 (TS2/9) Mouse IgG1 Recombinant Antibody



Catalog Number: FITC-65517

Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

FITC-65517

GeneID (NCBI):

Affinity purification

Size:

Source:

BC005930

CloneNo.: TS2/9

100 tests , 5 μ l/test

Full Name:

Excitation/Emission maxima

Mouse Isotype: lgG1

CD58 molecule Calculated MW: 28 kDa

wavelengths: 495 nm / 524 nm

Applications

Tested Applications:

Species Specificity:

Human

Background Information

CD58, also known as lymphocyte function-associated antigen 3 (LFA-3), is a heavily glycosylated protein of 55-70 kDa that is expressed on a broad range of hematopoietic and non-hematopoietic cells. CD58 is involved in immune recognition of tumor cells via binding of the CD2 receptor expressed on cytotoxic T cells.

Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data



1x10^6 human PBMCs were surface stained with CL750 Anti-Human CD14 and 5 ul FITC Plus Anti-Human CD58 Mouse Recombinant Antibody (FITC-65517, Clone:TS2/9) or FITC Plus Mouse IgG1 Isotype Control (FITC-65124, Clone: MOPC-21). Cells were not fixed. Cells were treated with FC Receptor Block prior to staining. Monocytes were gated.



1x10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD58 Mouse Recombinant Antibody (FITC-65517, Clone:TS2/9) or FITC Plus Mouse IgG1 Isotype Control (FITC-65124, Clone: MOPC-21). Cells were not fixed. Cells were treated with FC Receptor Block prior to staining. Monocytes were gated.