For Research Use Only

## FITC Plus Anti-Human MICA/MICB (6D4) Mouse IgG2a Recombinant Antibody

Catalog Number:FITC-65589



**Purification Method:** 

**Basic Information** 

Catalog Number: GenBank Accession Number: FITC-65589 BC016929

FITC-65589 BC016929 Protein A purification
Size: GeneID (NCBI): CloneNo.:

100tests , 5 ul/test 100507436 6D4

Source: Full Name: Recommended Dilutions: Mouse MHC class I polypeptide-related FC: 5 ul per  $10^{\circ}6$  cells in a 100  $\mu$ l

Isotype: sequence A suspension FC: 5 ut per 10% cells in a 100 suspension

IgG2a Calculated MW: Excitation/Emission maxima 383 aa. 43 kDa wavelengths:

383 aa, 43 kDa wavelengths: 495 nm / 524 nm

**Applications** 

Tested Applications:

Species Specificity:

human

Positive Controls:

FC: HeLa cells,

## **Background Information**

Human MHC class I chain-related genes located within the HLA class I region of chromosome 6 encode MHC class I chain-related A and B (MICA and MICB) (PMID: 11429322). MICA and MICB are stress-inducible surface molecules that are not associated with  $\beta 2$ -microglobulin and do not present peptides (PMID: 9497295). They are expressed in intestinal epithelium and many epithelial tumors (PMID: 10359807). MICA and MICB are ligands for NKG2D which is an activating receptor that is expressed on most natural killer (NK) cells, CD8  $\alpha \beta$  T cells, and  $\gamma \delta$  T cells (PMID: 10426993; 11491531). The monoclonal antibody 6D4 recognizes MICA and MICB.

Storage


Storage:

Store at 2-8 °C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer

PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

## Selected Validation Data



1x10^6 HeLa cells were surface stained with 5 ul FITC Plus Anti-Human MICA/MICB (6D4) Mouse IgG2a RecAb (FITC-65589, Clone: 6D4) (red) or FITC Plus Mouse IgG2a Isotype Control (C1.18.4) (FITC-65208, Clone: C1.18.4) (blue). Cells were not fixed.