For Research Use Only

FITC Plus Anti-Human TIGIT Rabbit Recombinant Antibody

www.ptglab.com

Catalog Number:FITC-98023-2

Basic Information

Catalog Number: FITC-98023-2

Size:

100tests, 5 ul/test

Source: Rabbit Isotype:

IgG Immunogen Catalog Number:

EG0749

GenBank Accession Number:

NM_173799.4

GeneID (NCBI): 201633

UNIPROT ID: Q495A1-1 Full Name:

26 kDa

T cell immunor eceptor with Ig and

ITIM domains Calculated MW: Recommended Dilutions:

Purification Method:

Protein A purification

FC: 5 ul per 10^6 cells in a 100 µl

suspension

CloneNo.:

240423C7

Excitation/Emission maxima

wavelengths: 495 nm / 524 nm

Applications

Tested Applications:

Species Specificity:

human

Positive Controls:

FC: human PBMCs,

Background Information

TIGIT (T-cell immunoreceptor with Ig and ITIM domains), also known as VSIG9 or VSTM3, is an immune receptor expressed on T cells, including Treg and memory subsets, as well as on NK cells (PMID: 19011627). It contains an immunoglobulin variable domain, a transmembrane domain and an immunoreceptor tyrosine-based inhibitory motif (ITIM). TIGIT binds to poliovirus receptor (PVR, also called CD155) with high affinity, and also to PVRL2 (CD112) with lower affinity. The interaction of TIGIT with PVR on dendritic cells increases the secretion of IL-10 and decreases the secretion of proinflammatory cytokine and suppresses T-cell activation by promoting the generation of mature immunoregulatory dendritic cells. TIGIT can inhibit NK cytotoxicity directly through its ITIM (PMID: 19815499).


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 human PBMCs were surface stained with Coralite® Plus 647 Anti-Human CD45RO, and 5 ul FITC Plus Anti-Human TIGIT Rabbit RecAb (FITC-98023-2, Clone: 240423C7) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9). Cells were not fixed. Lymphocytes were gated.



1x10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human TIGIT Rabbit RecAb (FITC-98023-2, Clone: 240423C7) (red) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). Cells were not fixed. Lymphocytes were gated.