For Research Use Only

FITC Plus Anti-Mouse IL-2 Rabbit Recombinant Antibody

Catalog Number: FITC-98055



Basic Information

Catalog Number: GenBank Accession Number:

FITC-98055 NM_008366 Protein A purification

GeneID (NCBI): Size: CloneNo.: 100ug , 500 ug/ml 16183 240358A2

UNIPROT ID: Recommended Dilutions: Source:

Rabbit P04351 FC (Intra): 0.25 ug per 10^6 cells in a

100 µl suspension Full Name: Isotype: interleukin 2 Excitation/Emission maxima

wavelengths: Calculated MW: Immunogen Catalog Number: 495 nm / 524 nm EG0762 19 kDa

Applications

Tested Applications:

FC (Intra)

Species Specificity:

mouse

Positive Controls:

FC (Intra): PMA, Ionomycin and Brefeldin A treated

Purification Method:

mouse splenocytes,

Background Information

Interleukin-2 (IL-2) is a four-helix bundle, type I cytokine that functions as a growth factor for a wide range of leukocytes. In the immune system, IL-2 is essential for immune homeostasis, normal T regulatory cell function, and self-tolerance. It regulates immune cell homeostasis and has been used to treat a range of disorders including cancer and autoimmune disease. IL-2 signals through heterodimerization of the IL-2R β and IL-2R γ receptor subunits (PMID: 25992858, 24907378, 15034008, 17981641).

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide, pH7.3


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data



1x10^6 untreated or PMA, Ionomycin and Brefeldin A treated mouse splenocytes were intracellularly stained with CoraLite® Plus 647 Anti-Mouse CD4 and 0.25 ug FITC Plus Anti-Mouse IL-2 Rabbit RecAb (FITC-98055, Clone: 240358A2). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



1x10^6 PMA, Ionomycin and Brefeldin A treated mouse splenocytes were intracellularly stained with 0.25 ug FITC Plus—Anti-Mouse IL-2 Rabbit RecAb (FITC-98055, Clone: 240358A2) (red) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). 1x10^6 untreated mouse splenocytes were intracellularly stained with 0.25 ug FITC Plus Anti-Mouse IL-2 Rabbit RecAb (FITC-98055, Clone: 240358A2) (black, dashed). Cells were fixed