For Research Use Only

FITC Plus Anti-Mouse CD155/PVR Rabbit Recombinant Antibody

Size:

Catalog Number: FITC-98077



Basic Information

Catalog Number: GenBank Accession Number: FITC-98077 NM_027514.2

NM_027514.2 GeneID (NCBI): 52118

 100ug , 500 ug/ml
 52118

 Source:
 UNIPROT ID:

 Rabbit
 Q8K094

Isotype: Full Name:
IgG poliovirus receptor

Immunogen Catalog Number: Calculated MW:

EG0903 45 kDa

43 KL

Purification Method:

Protein A purification

CloneNo.: 240731B1

Recommended Dilutions:

FC: 0.25 ug per 10^6 cells in 100 μl

suspension

Excitation/Emission maxima

wavelengths: 495 nm / 524 nm

Applications

Tested Applications:

FC

Species Specificity:

mouse

Positive Controls:

FC: mouse thymocytes,

Background Information

CD155, also known as the poliovirus receptor (PVR) or Necl-5, is one of the nectin-like family members, belonging to the Ca2+ independent immunoglobulin superfamily (IgSF) in cell adhesion molecules (PMID: 37660884). CD155 is a type I transmembrane protein composed of three extracellular immunoglobulin-like domains, a transmembrane domain, and a cytoplasmic tail. It is involved in cell-to-cell and cell-to-ECM adhesion (PMID: 32019260; 11437656). CD155 acts as a ligand for immune receptors, including TIGIT, CD96 and CD226, which are expressed on T cells and NK cells. CD155 interacts with these receptors to modulate immune responses, such as T cell activation and NK cell-mediated cytotoxicity (PMID: 37660884). CD155 serves as the entry receptor for poliovirus and thereby mediates susceptibility to poliovirus infection (PMID: 15034010).

Storage


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1x10^6 mouse thymocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse CD155/PVR Rabbit RecAb (FITC-98077, Clone: 240731B1) or 0.25 ug FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9). Cells were not fixed.



1x10^6 mouse thymocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse CD155/PVR Rabbit RecAb (FITC-98077, Clone: 240731B1) (red) or 0.25 ug FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). Cells were not fixed.