For Research Use Only

## FITC Plus Anti-Human IL-6 Rabbit Recombinant Antibody

Catalog Number: FITC-98087



**Basic Information** 

Catalog Number:

FITC-98087

Size:

100tests, 5 ul/test

Source: Rabbit

Isotype:

GenBank Accession Number:

BC015511 GeneID (NCBI):

3569

ENSEMBL Gene ID: ENSG00000136244

**UNIPROT ID:** P05231

Full Name:

interleukin 6 (interferon, beta 2)

Calculated MW: 212 aa, 24 kDa

**Purification Method:** 

Protein A purification

CloneNo.: 240670D12

Excitation/Emission maxima

wavelengths: 495 nm / 524 nm

**Applications** 

**Tested Applications:** 

FC (Intra)

Species Specificity:

human

## **Background Information**

 $Interleukin-6 (IL-6) is an interleukin that acts as both a pro-inflammatory and anti-inflammatory cytokine. \ IL-6 in the control of the co$ protein is secreted by a variety of cell types including T cells and macrophages as phosphorylated and variably glycosylated molecule. IL-6 plays an essential role in the final differentiation of B-cells into Ig-secreting cells involved in lymphocyte and monocyte differentiation. It induces myeloma and plasmacytoma growth and induces nerve cells differentiation Acts on B-cells, T-cells, hepatocytes, hematopoietic progenitor cells and cells of the CNS. IL-6 is also considered a myokine, a cytokine produced from muscle, and is elevated in response to muscle contraction. IL-6 has been shown to interact with interleukin-6 receptor and glycoprotein 130. Additionally, IL-6 is involved in hematopoiesis, bone metabolism, and cancer progression, and has been defined an essential role in directing transition from innate to acquired immunity.


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA

## **Selected Validation Data**



1x10^6 untreated or LPS and Brefeldin A treated human PBMCs were intracellularly stained with 5 ul FITC Plus Anti-Human IL-6 Rabbit RecAb (FITC-98087, Clone: 240670D12). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). Monocytes were gated.



1x10^6 LPS and Brefeldin A treated human PBMCs were intracellularly stained with 5 ul FITC Plus Anti-Human IL-6 Rabbit RecAb (FITC-98087, Clone:240670D12) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). 1x10^6 untreated human PBMCs were intracellularly stained with 5 ul FITC Plus Anti-Human IL-6 Rabbit RecAb (FITC-98087, Clone:240670D12) (black, dashed). Cells were fixed with 4% PFA and permeabilized

