For Research Use Only

FITC Plus Anti-Mouse CD30 Ligand/TNFSF8 Rabbit Recombinant Antibody



Catalog Number:FITC-98113

Basic Information

Catalog Number: FITC-98113

Size: 100ug , 500 ug/ml

Source:

Rabbit Isotype: IgG

EG0667

Immunogen Catalog Number:

GenBank Accession Number:

NM_009403.3

GeneID (NCBI): 21949

UNIPROT ID: P32972 Full Name:

tumor necrosis factor (ligand) superfamily, member 8

Calculated MW:

27 kDa

Purification Method:

Protein A purification

CloneNo.:

241012G10 Recommended Dilutions:

FC: 0.25 ug per 10^6 cells in a 100 μ l

suspension

Excitation/Emission maxima

wavelengths:

495 nm / 524 nm

Applications

Tested Applications:

Species Specificity:

mouse

Positive Controls:

FC: anti-CD3/CD28 treated mouse splenocytes,

Background Information

CD30 Ligand (CD30L), also named as TNFSF8 or CD153, is a type II transmembrane protein that belongs to the tumor necrosis factor (TNF) superfamily (PMID: 8391931). It is expressed on the surface of activated T cells, B cells, monocytes, macrophages, eosinophils, neutrophils, and mast cells (PMID: 26090498). CD30L interacts with its receptor, CD30, which is a cell surface protein expressed on a small subset of activated T and B lymphocytes, and a variety of lymphoid neoplasms, with the highest expression in classical Hodgkin lymphoma and anaplastic large cell lymphomas (PMID: 28885612). The CD30/CD30L signaling is involved in pleiotropic downstream effects including differentiation, cell survival and death, NFkB activation, and production of cytokines (PMID: 38534788).


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1x10^6 untreated or anti-CD3/CD28 treated mouse splenocytes were surface stained with CoraLite® Plus 647 Anti-Mouse CD4 and 0.25 ug FITC Plus Anti-Mouse CD30 Ligand/TNFSF8 Rabbit RecAb (FITC-98113, Clone: 241012G10). Cells were not fixed.



1x10^6 anti-CD3/CD28 treated mouse splenocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse CD30 Ligand/TNF5F8 Rabbit RecAb (FITC-98113, Clone: 241012G10) (red) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). 1x10^6 untreated mouse splenocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse CD30 Ligand/TNF5F8 Rabbit RecAb (FITC-98113, Clone: 241012G10) (black, dashed). Cells

