For Research Use Only

FITC Plus Anti-Human CD155/PVR Rabbit Recombinant Antibody

Catalog Number: FITC-98186



Basic Information

Catalog Number:

FITC-98186

Size: 100tests, 5 ul/test

Source:

Rabbit Isotype:

Immunogen Catalog Number:

45 kDa

Purification Method:

Protein A purification

CloneNo.: 241405G8

Excitation/Emission maxima

wavelengths: 495 nm / 524 nm

Applications

Tested Applications:

Species Specificity:

human

Background Information

CD155, also known as PVR, is a type I transmembrane glycoprotein in the immunoglobulin superfamily. It contains the immunoglobulin superfamily is a containst the immunoglobulin superfamily of the containst the immunoglobulin superfamily. It contains the immunoglobulin superfamily is a contain the immunoglobulin superfamily. It contains the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily. It contains the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily. It contains the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the immunoglobulin superfamily is a contain the immunoglobulin superfamily in the imthree extracellular immunoglobulin-like domains, D1-D3, of which D1 is recognized by the virus. Mature human CD155 consists of a 323 amino acid extracellular domain with one N-terminal V-type and two C2-type Ig-like domains, a 24 amino acid transmembrane segment, and a 50 amino acid cytoplasmic tail. CD155 is thought to play a role in adhesion by interaction with the ECM component vitronectin as well as a role in NK killing of tumor cells. CD155 binds to two receptors of NK cells, CD96 and CD226, and accumulates at cell-cell contact sites, leading to the formation of mature immune synapses between NK cells and target cells. CD155 serves as the entry receptor for poliovirus and thereby mediates human susceptibility to poliovirus infection.

GenBank Accession Number:

BC015542

5817

P15151

GeneID (NCBI):

UNIPROT ID:

Full Name:

poliovirus receptor Calculated MW:


Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer


PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data





1x10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD155/PVR Rabbit RecAb (FITC-98186, Clone:241405G8) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.



1x10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD155/PVR Rabbit RecAb (FITC-98186, Clone:241405G8) (red), or FITC Plus Rabbit 1gG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.