For Research Use Only

FITC Plus Anti-Mouse CD25/IL-2RA Rabbit Recombinant Antibody

Catalog Number: FITC-98288



Basic Information

Catalog Number: GenBank Accession Number: FITC-98288

NM_008367.3 Protein A purification

GeneID (NCBI): CloneNo.: Size: 242494H5 100ug , 500 ug/ml 16184

Source: **UNIPROT ID:** Recommended Dilutions:

Rabbit FC: 0.25 ug per 10^6 cells in a 100 µl P01590

suspension Isotype: Full Name:

interleukin 2 receptor, alpha chain Excitation/Emission maxima

wavelengths: Calculated MW: Immunogen Catalog Number:

EG3087 31 kDa

Applications Tested Applications: Positive Controls:

Species Specificity:

mouse

FC: Anti-CD3/CD28 treated mouse splenocytes,

495 nm / 524 nm

Purification Method:

Background Information


Proliferation of T lymphocytes is triggered by the interaction of IL-2 with its specific receptor following T lymphocyte activation. The receptor for IL-2 has three forms, generated by different combinations of three different proteins, the alpha chain (IL-2R alpha), the beta chain (IL-2R beta), and the gamma chain (IL-2R gamma) (PMID: 8476561). IL-2R alpha (also known as CD25) is a type I transmembrane protein present on activated T cells, activated B cells, some thymocytes, myeloid precursors, and oligodendrocytes. CD25 is also found on natural CD4+Foxp3+ Treg cells and a subset of human CD4+ memory T cells (PMID: 22585674).

Storage Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1x10^6 untreated or anti-CD3/CD28 treated mouse splenocytes were stained with CoraLite® Plus 647 Anti-Mouse CD4 and 0.25 ug FITC Plus Anti-Mouse CD25/IL-2RA Rabbit RecAb (FITC-98288, Clone: 242494H5). Cells were not fixed.



1x10^6 anti-CD3/CD28-treated mouse splenocytes were stained with 0.25 ug FITC Plus Anti-Mouse CD25/IL-2RA Rabbit RecAb (FITC-98288, Clone: 242494H5) (red) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). 1x10^6 untreated mouse splenocytes were stained with 0.25 ug FITC Plus Anti-Mouse CD25/IL-2RA Rabbit RecAb (FITC-98288, Clone: 242494H5) (black, dashed). Cells were not fixed.