



# IHCeasy XRCC6 Ready-To-Use IHC Kit

Catalog Number: KHC1527

General Information

Sample type: FFPE tissue Cited sample type: Reactivity: Human Cited Reactivity: Assay type: Immunohistochemistry Primary antibody type: Mouse Monoclonal

Secondary antibody type: Polymer-HRP-Goat anti-Mouse

#### Kit Component

Antigen Retrieval Buffer 100 mL	50×
Washing Buffer 100 mL × 2	20×
Blocking Buffer 5 mL	RTU
Primary Antibody 5 mL	RTU
Secondary Antibody 5 mL	RTU
Chromogen Component A 0.2 mL	RTU
Chromogen Component B 4 mL	RTU
Signal Enhancer 5 mL	RTU
Counter Staining Reagent 5 mL	RTU
Mounting Media 5 mL	RTU
Control Slide 1 slide (Optional)	FFPE
Datasheet 1 Copy	
Manual 1 Copy	

### **Storage Instructions**

All the reagents are stored at 2-8°C. The kit is stable for 6 months from the date of receipt.


## Background


X-ray repair cross-complementing protein 6(XRCC6)gene encodes subunit p70 of the p70/p80 autoantigen which has a role in DNA repair or transposition. DNA helicase II complex binds preferentially to fork-like ends of double-standed DNA in a cell cycle-dependent manner, which may be mediated by XRCC6. XRCC6/5 can form a heterdimer, which function as a regulatory subunit of the DNA-dependent protein kinase complex DNA-PK by increasing the affinity of the catalytic subunit PRKDC to DNA, and also it can stablize broken DNA ends and bringing them together. Otherwise, XRCC5/6 heterdimer together with APEX1 can negatively regulate of transcription.


#### **Synonyms**

5 dRP lyase Ku70, 70 kDa subunit of Ku antigen, CTC75, CTCBF, DNA repair protein XRCC6, G22P1, KU70, KU70, XRCC6, ML8, Thyroid lupus autoantigen, TLAA, XRCC6

## Selected Validation Data







Immunohistochemical analysis of paraffinembedded human lung tissue slide using KHC1527 (XRCC6 IHC Kit).