



## IHCeasy SDCCAG8 Ready-To-Use IHC Kit

Catalog Number: KHC2630

General Information

Sample type: FFPE tissue Cited sample type: Reactivity: Human Cited Reactivity: Assay type: Immunohistochemistry Primary antibody type: Rabbit Polyclonal

Secondary antibody type: Polymer-HRP-Goat anti-Rabbit

#### Kit Component

Component	Size	Concentration
Antigen Retrieval Buffer	100 mL	50×
Washing Buffer	100 mL ×2	20×
Blocking Buffer	5 mL	RTU
Primary Antibody	5 mL	RTU
Secondary Antibody	5 mL	RTU
Chromogen Component A	0.2 mL	RTU
Chromogen Component B	4 mL	RTU
Signal Enhancer	5 mL	RTU
Counter Staining Reagent	5 mL	RTU
Mounting Media	5 mL	RTU
Control Slide	1 slide (Optional)	FFPE
Datasheet	1 Copy	
Manual	1 Copy	

### Storage Instructions

All the reagents are stored at 2-8°C. The kit is stable for 6 months from the date of receipt.


#### Background

SDCCAG8, also named as CCCAP and NY-CO-8, plays a role in the establishment of cell polarity and epithelial lumen formation. It may play a role in ciliogenesis. Loss of SDCCAG8 function as a cause of a retinal-renal ciliopathy and validates exome capture analysis for broadly heterogeneous singlegene disorders. SDCCAG8 is localized at both centrioles and interacts directly with OFD1 (oral-facial-digital syndrome 1), which is associated with NPHP-RC.

### Synonyms

SDCCAG8,Antigen NY-CO-8,BBS16,CCCAP,hCCCAP

# Selected Validation Data



Immunohistochemical analysis of paraffinembedded human ovary cancer tissue slide using KHC2630 (SDCCAG8 IHC Kit).