



IHCeasy SIRT7 Ready-To-Use IHC Kit

Catalog Number: KHC2950

General Information

Sample type: FFPE tissue Cited sample type: Reactivity: Human, Mouse, Rat Cited Reactivity: Assay type: Immunohistochemistry Primary antibody type: Rabbit Polyclonal

Secondary antibody type: Polymer-HRP-Goat anti-Rabbit

Kit Component

Component	Size	Concentration
Antigen Retrieval Buffer	100 mL	50×
Washing Buffer	100 mL ×2	20×
Blocking Buffer	5 mL	RTU
Primary Antibody	5 mL	RTU
Secondary Antibody	5 mL	RTU
Chromogen Component A	0.2 mL	RTU
Chromogen Component B	4 mL	RTU
Signal Enhancer	5 mL	RTU
Counter Staining Reagent	5 mL	RTU
Mounting Media	5 mL	RTU
Control Slide	1 slide (Optional)	FFPE
Datasheet	1 Copy	
Manual	1 Copy	

Storage Instructions

All the reagents are stored at 2-8°C. The kit is stable for 6 months from the date of receipt.


Background

SIRT7 (NAD-dependent deacetylase sirtuin-7), also known as SIR2L7, is a member of the class IV sirtuin family and is localized to the nucleolus. Expressed throughout the body, SIRT7 associates with rDNA genes where it interacts with histones and acts as a positive regulator of RNA polymerase I (Pol I). SIRT7 is a probable NAD-dependent deacetylase whose expression is upregulated in thyroid carcinoma cells. Overexpression of SIRT7 increases Pol I-mediated transcription, thereby speeding cell growth and contributing to the development of cancer.


Synonyms

EC:2.3.1.-, EC:2.3.1.286, NAD-dependent protein deacylase sirtuin-7, SIR2 like protein 7, SIR2L7


Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse stomach tissue slide using KHC2950 (SIRT7 IHC Kit).



Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using KHC2950 (SIRT7 IHC Kit).



Immunohistochemical analysis of paraffinembedded rat colon tissue slide using KHC2950 (SIRT7 IHC Kit).