For Research Use Only

## Mouse PD-1/CD279 Recombinant Matched Antibody Pair, PBS Only



Catalog Number: MP00496-4

**Capture Antibody Information** 

Catalog Number: 83516-4-PBS Host:

Rabbit Isotype:

**Purification Method:** Protein A purification Clone ID: 240390D5 Reactivity:

mouse

Conjugate: Unconjugated Full name:

programmed cell death 1

Gene ID: 18566

**Detection Antibody** Information

Catalog Number: 83516-9-PBS Host: Rabbit Isotype:

IgG **Purification Method:** 

Clone ID: Conjugate: 240389D12 Unconjugated Reactivity: Full name: programmed cell death 1 mouse

GenBank: Gene ID: NM 008798.2 18566

Protein A purification

**Applications** 

**Tested Applications:** 

Sandwich ELISA

62.5-4000 pg/mL (Sandwich ELISA)

Recommended Dilutions:

It is recommended that this reagent should be titrated in each testing system to obtain optimal results.

**Product Information** 

in USA), or 1(312) 455-8498 (outside USA)

MP00496-4 targets PD-1/CD279 in immunoassays as a matched antibody pair. Validated in Sandwich ELISA.

Capture antibody: Mouse PD-1/CD279 Recombinant antibody, PBS Only (Capture) 83516-4-PBS (240390D5). 100 µg. Concentration 1 mgl/ml.

Detection antibody: Mouse PD-1/CD279 Recombinant antibody, PBS Only (Detector) 83516-9-PBS (240389D12). 100  $\mu g$ . Concentration 1 mgl/ml.

Unconjugated rabbit recombinant monoclonal antibody pair in PBS only storage buffer at a concentration of 1 mg/mL, ready for conjugation. Created using Proteintech's proprietary in-house recombinant technology. Recombinant production enables unrivalled batch-to-batch consistency, easy scale-up, and future security of supply.

Matched antibody pairs are designed for use in a variety of assays and platforms that require matched antibody


Antibody use should be optimized for each application and assay.


Storage


Storage:

Store at -80°C. Storage buffer: PBS only


## **Selected Validation Data**







EL-4 was cultured in RPMI 1640 supplemented with 10% fetal bovine serum, 50 μM β-mercaptoethanol, 2 mM L-glutamine, and 100 μg/mL ofstreptomycin sulfate. The cellswere stimulated with 10 μg/mL of PHA and 10 ng/mL of PMA. An aliquot of the cell culture supernatant wasremoved, assayed for mouse PD-1/CD279 and measured 812.8 pg/mL.



The mean mouse PD-1/CD279 concentration was determined to be 14.08 ng/mL in EL-4 cell extract based on a 3.0 mg/mL extract load.