For Research Use Only

## IL-3 Monoclonal Matched Antibody Pair, PBS Only



Catalog Number: MP50003-1

Capture Antibody Information Catalog Number: Clone ID: 68663-1-PBS 2A2A2
Host: Reactivity: Mouse human

Isotype: Immunogen Catalog Number:

IgG1 HZ-1074

Purification Method: Protein G purification Conjugate: Unconjugated Full name:

interleukin 3 (colony-stimulating

factor, multiple)
Gene ID:

3562

Gene ID:

3562

Detection Antibody Information

 Catalog Number:
 Clone ID:
 Conjugate:

 68663-2-PBS
 2B9C5
 Unconjugated

 Host:
 Reactivity:
 Full name:

 Mouse
 human
 interleukin 3 (

Mouse human interleukin 3 (colony-stimulating factor, multiple)

Isotype: GenBank:

IgG1 Immunogen Catalog Number:
Purification Method: HZ-1074

Protein G purification

**Tested Applications:** 

Recommended Dilutions:

Applications

Sandwich ELISA 7.8-500 pg/mL (Sandwich ELISA)

It is recommended that this reagent should be titrated in each testing system to obtain optimal results.

**Product Information** 

 $MP 50003\text{-}1\,targets\,IL\text{-}3\,in\,immuno assays\,as\,a\,matched\,antibody\,pair.\,Validated\,in\,Sandwich\,ELISA.$ 

Capture antibody: IL-3 Monoclonal antibody, PBS Only (Capture) 68663-1-PBS (2A2A2). 100 µg. Concentration 1 mg/ml.

Detection antibody: IL-3 Monoclonal antibody, PBS Only (Detector) 68663-2-PBS (2B9C5).  $100 \,\mu g$ . Concentration 1 mg/ml.

Matched antibody pairs are designed for use in a variety of assays and platforms that require matched antibody pairs.


Antibody use should be optimized for each application and assay.


Storage


Storage: Store at -80°C. Storage buffer:

PBS only


## Selected Validation Data







Serum of eight individual healthy human donors was measured. All samples measured less than the lowest human IL-3 standard, 7.8 pg/mL



Human peripheral blood mononuclear cells (PBMC) were cultured unstimulated or stimulated with 10 µg/mL PHA and 10 ng/mL IL-2 for 1 day. The mean IL-3 concentration was undetectable in unstimulated PBMC supernatant, 109.7 pg/mL in stimulated PBMC supernatant.