For Research Use Only PE Anti-Mouse CD31 (390)

Catalog Number: PE-65058




Basic Information	Catalog Number: PE-65058	GenBank Accession Number: BC008519	Purification Method: Affinity purification
	Size: 100ug , 0.2 mg/ml	GeneID (NCBI): 18613	CloneNo.: 390
	Source:UNIPROT ID:RatQ08481Isotype:Full Name:IgG2a, kappaplatelet/endothelial cell adhesismolecule 1	Excitation/Emission maxima wavelengths:	
		platelet/endothelial cell adhesion	496 nm, 565 nm / 578 nm
Applications	Tested Applications: FC Species Specificity:		
De allema un d'Informe a tiere	mouse	esion molecule_1 (PECAM-1 CD31) is a mem	ber of the immunoglobulin gene
Background Information	Platelet endothelial cell adhesion molecule-1 (PECAM-1, CD31) is a member of the immunoglobulin gene superfamily of cell adhesion molecules. CD31 is a transmembrane glycoprotein that is highly expressed on the surface of the endothelium, making up a large portion of its intracellular junctions. PECAM-1 is also present on the surface of hematopoietic cells and immune cells including platelets, monocytes, neutrophils, natural killer cells, megakaryocytes and some types of T-cell (PMID: 9011572). As well as its role in cell-cell adhesion, PECAM-1 functions as a signaling receptor, and is involved in important physiological events such as nitric oxide production, regulation of T-cell immunity and tolerance, leukocyte transendothelial migration and inflammation and angiogenesis (PMID: 21183735; 20978210; 17872453; 20634489).		
Storage	Storage: Store at 2-8°C. Avoid exposu Storage Buffer: PBS with 0.09% sodium azide	re to light. Stable for one year after shipment e and 0.5% BSA.	<u>.</u>

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^6 mouse bone marrow cells were surface stained with 0.1 ug PE Anti-Mouse CD31 (PE-65058, Clone: 390) or 0.1 ug PE Rat IgG2a Isotype Control (2A3) (PE-65209, Clone: 2A3). Cells were co-stained with APC Anti-Mouse CD45R (B220) (APC-65139, Clone: RA3-6B2). Cells were not fixed.