For Research Use Only

PE Anti-Mouse CD357 (GITR) (DTA-1)

Catalog Number: PE-65102




| Basic Information | Catalog Number: PE-65102 | GenBank Accession Number: BC 146517 | Purification Method: Affinity purification |
|------------------------|--|---|---|
| | Size: 100ug , 0.2 mg/ml | Genel D (NCBI): 21936 | CloneNo.: DTA-1 |
| | Source: Rat Isotype: IgG2b, kappa | UNIPROT ID: O35714 Full Name: tumor necrosis factor receptor superfamily, member 18 | Excitation/Emission maxima wavelengths: 496 nm, 565 nm / 578 nm |
| | | | |
| Background Information | mouse Glucocorticoid-induced TNFR-related protein (GITR), also known as CD357 or TNFRSF 18, is a member of the tumor necrosis factor receptor (TNF-R) superfamily. GITR is expressed constitutively at high levels in T regulatory cells | | |
| | (Treg cells) and plays a key role in dominant immunological self-tolerance maintained by CD25+CD4+ regulatory T cells (PMID: 11812990). It is expressed at low levels on resting responder T cells. The expression of GITR on T cells can be upregulated upon activation (PMID: 15770698). GITR is activated by GITR ligand (GITRL) which is mainly expressed on APC. GITR-GITRL interactions could co-stimulate both responder T-cell functions and the suppressive functions of Treg cells (PMID: 16868552). | | |
| Storage | Storage: Store at 2-8°C. Avoid exposure Storage Buffer: | e to light. Stable for one year after shipme | nt. |

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^6 mouse splenocytes were surface stained with 0.06 ug APC-Anti-Mouse CD4 (APC-65104, clone GK1.5), 0.125 ug FITC-Anti-Mouse CD25 (FITC-65137, clone PC61.5) and 0.06 ug PE-Anti-Mouse CD357 (GITR) (PE-65102, clone DTA-1). Cells were not fixed. CD4+ lymphocytes were gated for analysis of CD25 and CD357 (GITR) staining.