For Research Use Only

PE Anti-Human CD38 (HIT2)

Catalog Number: PE-65111



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method: Affinity purification

PE-65111

GeneID (NCBI):

CloneNo.:

100tests , 5 µl/test

952

BC007964

HIT2

Mouse

Full Name: CD38 molecule Excitation/Emission maxima wavelengths:

Isotype: IgG1, kappa

Calculated MW: 300 aa, 34 kDa

496 nm, 565 nm / 578 nm

Applications

Tested Applications:

Species Specificity:

Human

Background Information


CD38, also known as ADP-ribosyl cyclase 1, is a type II transmembrane glycoprotein with a short N-terminal cytoplasmic tail, a single membrane-spanning domain, and a C-terminal extracellular region with four Nglycosylation sites (PMID: 2319135). The extracellular domain of CD38 has bifunctional enzyme activities that catalyze synthesis of cyclic ADP ribose from nicotinamide adenine dinucleotide (NAD) and hydrolysis of cyclic ADP ribose to adenosine diphosphoribose (PMID: 10636863). CD38 is expressed on a variety of hematopoietic and nonhematopoietic cells and is involved in diverse processes such as generation of calcium-mobilizing metabolites, cell activation, and chemotaxis (PMID: 25938500).

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul PE Anti-Human CD38 (PE-65111, Clone:HIT2), or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul PE Anti-Human CD38 (PE-65111, Clone:HIT2), or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.