For Research Use Only

PE Anti-Mouse OX40L/TNFSF4 Rabbit Recombinant Antibody

Catalog Number: PE-98381





Basic Information	Catalog Number: PE-98381	GenBank Accession Number: NM_009452.2	Purification Method: Protein A purification
	Size: 100ug , 200 µg/ml	GenelD (NCBI): 22164	CloneNo.: 242227B1
	Source: Rabbit	UNIPROT ID: P43488	Recommended Dilutions: FC: 0.25 ug per 10^6 cells in a 100 µl
	Isotype: IgG Immunogen Catalog Number: EG1573	Full Name: tumor necrosis factor (ligand) superfamily, member 4 Calculated MW: 22kDa	suspension Excitation/Emission maxima wavelengths: 496 nm, 565 nm / 578 nm
Applications	Tested Applications: FC Species Specificity: mouse	Positive Controls: FC : Anti-IgM and CD40 treated BALB/c mouse splenocytes,	
Background Information	The tumour necrosis factor ligand superfamily member 4 gene (TNFSF4, OX40L), which encodes for the T cell costimulatory molecule OX40 ligand, has been identified as a susceptibility gene for the development of systemic lupus erythematosus (SLE). OX40L/TNFSF4/CD252 is a co-stimulatory checkpoint protein expressed by several types of immune and non-immune cells (PMID: 15750594, 19778912). TNFSF4 mRNA is expressed in melanoma cel lines and melanoma samples, including those with low lymphocytic infiltrates, and is not associated with the ulceration status of the primary tumor (PMID: 31501955).		
Storage	Storage: Store at 2-8°C. Avoid exposure to Storage Buffer: PBS with 0.09% sodium azide and	light. Stable for one year after shipme 10.5% BSA, pH7.3	ent.

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10⁶ untreated or Anti-IgM and CD40 treated BALB/c mouse splenocytes were surface stained with CoraLite® Plus 647 Anti-Mouse CD19 and 0.25 ug PE Anti-Mouse OX40L/TNFSF4 Rabbit RecAb (PE-98381, Clone:242227B1). Cells were not fixed.

1x10^6 Anti-IgM and CD40 treated BALB/c mouse splenocytes were surface stained with 0.25 ug PE Anti-Mouse OX40L/TNFSF 4 Rabbit RecAb (PE-98381, Clone: 242227B1) (red), or PE Rabbit IgG Isotype Control RecAb (PE-98136, Clone: 240953C9) (blue). 1x10^6 untreated BALB/c mouse splenocytes were surface stained with 0.25 ug PE Anti-Mouse OX40L/TNFSF 4 Rabbit RecAb (PE-98381, Clone: 242227B1)(black, dashed). Cells were not fixed.