## For Research Use Only

## FcZero-rAb<sup>™</sup> PE Anti-Human VEcadherin/CD144 Rabbit Recombinant Antibody




Catalog Number:PE-FcA98071

Catalog Number: PE-FcA98071	GenBank Accession Number: NM_001795.5	Purification Method: Protein A purification
Size: 100tests , 5 ul/test	GeneID (NCBI): 1003	CloneNo.: 240755B2
Source: Rabbit Isotype: IgG	cadherin 5, type 2 (vascular wavele	Excitation/Emission maxima wavelengths: (06 pm 565 pm (578 pm
		496 nm, 565 nm / 578 nm
Applications Tested Applications: FC		
Species Specificity: human		
play an important role in the cadherin), also known as Cad adhesion proteins (PMID: 212 homophilic adhesion in the the organization of lateral er endothelium (PMID: 1522121 18162609). The calculated m 140 kDa is higher due to post	maintenance of normal tissue architecture dherin-5 (CDH5) or CD144, is a member of 1 269602). VE-cadherin is expressed specific vascular endothelium (PMID: 1522121; 855 ndothelial junctions and in the control of pe L). VE-cadherin has also been shown to be a lolecular weight of VE-cadherin is 88 kDa a c-translational glycosylation and phosphor	e. Vascular endothelial cadherin (VE- the type II classical cadherin family of cell ally in endothelial cells and mediates 5485; 21269602). VE-cadherin plays a role in ermeability properties of vascular required for angiogenesis (PMID: 16473763; and the apparent molecular weight of 120- ylation (PMID: 10460833; 29894844). Full-
Storage: Store at 2-8°C. Avoid exposu Storage Buffer:	re to light. Stable for one year after shipme	ent.
	<ul> <li>PE-FcA98071</li> <li>Size: <ol> <li>100tests, 5 ul/test</li> </ol> </li> <li>Source: <ul> <li>Rabbit</li> <li>Isotype:</li> <li>IgG</li> </ul> </li> <li>Tested Applications: <ul> <li>FC</li> <li>Species Specificity: <ul> <li>human</li> </ul> </li> <li>Cadherins are a family of traplay an important role in the cadherin), also known as Cadadherin), also known as Cadadherin), also known as Cadadherin, also known as Cadadherin (PMID: 212 <ul> <li>homophilic adhesion in the value of the organization of lateral erendothelium (PMID: 1522121)</li> <li>18162609). The calculated mi 140 kDa is higher due to post length VE-cadherin can be pr 22064597).</li> </ul> </li> <li>Storage:</li> </ul></li></ul>	PE-FcA98071       NM_001795.5         Size:       Genel D (NCBI):         100tests, 5 ul/test       1003         Source:       Full Name:         Rabbit       cadherin 5, type 2 (vascular endothelium)         Isotype:       endothelium)         IgG       Calculated MW:         88 kDa       88 kDa         Tested Applications:       FC         FC       Species Specificity:         human       Cadherins are a family of transmembrane glycoproteins that mediate of play an important role in the maintenance of normal tissue architecture cadherin), also known as Cadherin-5 (CDH5) or CD144, is a member of a dhesion proteins (PMID: 21269602). VE-cadherin is expressed specific homophilic adhesion in the vascular endothelium (PMID: 1522121; 855 the organization of lateral endothelial junctions and in the control of p endothelium (PMID: 1522121). VE-cadherin has also been shown to be a 18162609). The calculated molecular weight of VE-cadherin is 88 kDa a 140 kDa is higher due to post-translational glycosylation and phosphor length VE-cadherin can be proteolytically cleaved to generate a fragme 22064597).

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free<br/>in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1x10^6 HUVEC cells were surface stained with 5 ul PE Anti-Human VE-cadherin/CD144 Rabbit RecAb (PE-FcA98071, Clone:240755B2) (red) or PE Rabbit IgG Isotype Control RecAb (PE-FcA98136, Clone: 240953C9) (blue). Cells were not fixed.