For Research Use Only

FcZero-rAb™ PE-Cyanine5.5 Anti-Human CD14 Rabbit Recombinant Antibody



Catalog Number: PY5P5-FcA98040

Basic Information

Catalog Number: GenBank Accession Number: PY5P5-FcA98040 BC010507

PY5P5-FcA98040 BC010507
Size: GeneID (NCBI):

100tests , 5 ul/test 929

Source: ENSEMBL Gene ID: Rabbit ENSG00000170458

 Isotype:
 UNIPROT ID:

 IgG
 P08571

 Immunogen Catalog Number:
 Full Name:

EG0498 CD14 molecule

Calculated MW: 375 aa, 40 kDa Purification Method:

Protein A purification

CloneNo.: 230332D7

Recommended Dilutions:

FC: 5 ul per 10^6 cells in a 100 µl

suspension

Excitation/Emission maxima

wavelengths:

488 nm, 561 nm / 692 nm

Applications

Tested Applications:

FC

Species Specificity:

human, monkey, non-human primates

Positive Controls:

FC: human PBMCs,

Background Information

CD14 is a 50-55 kDa glycosylphosphatidylinositol-anchored glycoprotein preferentially expressed on monocytes and macrophages, and at lower levels on granulocytes (PMID: 3385210; 2462937; 7685797). CD14 can also exist as a soluble protein. CD14 acts as a co-receptor for bacterial liposaccharides (LPS) (PMID: 1698311). It plays a major role in the inflammatory response of monocytes to LPS.

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 human PBMCs were surface stained with CoraLite® Plus 488 Anti-Human CD11b (ICRF44), and 5 ul PE-Cyanine5.5 Anti-Human CD14 Rabbit RecAb (PY5P5-FcA98040, Clone: 230332D7) or Rabbit IgG Isotype Control RecAb (PY5P5-FcA98136, Clone: 240953C9). Cells were incubated with MonoZero™ Monocytes blocking Reagent (PF00020) prior to staining. Cells were not fixed.



PY5P5-FcA98040(CD14),PE-Cy5.5-A

1x10^6 human PBMCs were surface stained with 5 ul PE-Cyanine5.5 Anti-Human CD14 Rabbit RecAb (PY5P5-FcA98040, Clone: 230332D7) (red) or Rabbit IgG Isotype Control RecAb (PY5P5-FcA98136, Clone: 240953C9) (blue). Cells were incubated with MonoZero™ Monocytes blocking Reagent (PF00020) prior to staining. Cells were not fixed.