

For Research Use Only



FcZero-rAb® PE-Cyanine5.5 Anti-Human CD19 Rabbit Recombinant Antibody

Catalog Number: PY5P5-FcA98560

Basic Information

Catalog Number:

PY5P5-FcA98560

Size:

100 tests, 5 µl/test

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

EG3335

GenBank Accession Number:

BC006338

GeneID (NCBI):

930

ENSEMBL Gene ID:

ENSG00000177455

UNIPROT ID:

P15391

Full Name:

CD19 molecule

Calculated MW:

556 aa, 61 kDa

Purification Method:

Protein A purification

CloneNo.:

250499A2

Recommended Dilutions:

FC: 5 µl per 10⁶ cells in a 100 µl suspension

Excitation/Emission maxima wavelengths:

496 nm, 565 nm / 692 nm

Applications

Tested Applications:

FC

Species Specificity:

human

Positive Controls:

FC : human PBMCs,

Background Information

CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ human PBMCs were surface stained with FcZero-rAb@ CoraLite® Plus 488 Anti-Human CD3, and 5 ul PE-Cyanine5.5 Anti-Human CD19 Rabbit RecAb (PY5P5-FcA98560, Clone: 250499A2) or FcZero-rAb@ PE-Cyanine5.5 Rabbit IgG Isotype Control Recombinant Antibody (PY5P5-FcA98136, Clone: 240953C9). Cells were incubated with MonoZero™ Human/Mouse 3-in-1 Blocking Reagent (PF00029) prior to staining. Cells were not fixed.



1x10⁶ human PBMCs were surface stained with 5 ul PE-Cyanine5.5 Anti-Human CD19 Rabbit RecAb (PY5P5-FcA98560, Clone: 250499A2) (red) or FcZero-rAb@ PE-Cyanine5.5 Rabbit IgG Isotype Control Recombinant Antibody (PY5P5-FcA98136, Clone: 240953C9) (blue). Cells were incubated with MonoZero™ Human/Mouse 3-in-1 Blocking Reagent (PF00029) prior to staining. Cells were not fixed.