## For Research Use Only

## anti-LAG3 recombinant VHH, for 2xCys conjugation



www.ptglab.com

Catalog Number: ltCys2

**Catalog Number: Basic Information** 

ltCys2

**Applications:** Conjugation Host: Alpaca Conjugate: Unconjugated Type: Nanobody Class: Recombinant **Molecular Weight:** 15.141 kDa

**Description** 

Alpaca anti-LAG3 VHH, purified recombinant binding protein. Suitable for for cysteine conjugation with thiol-reactive reagents, e.g. maleimides. Note: unconjugated VHHs are not suited for usage without prior labeling, since they contain reactive Cysteines. Shipment and storage buffers contain TCEP to keep Cysteines reduced.

**Affinity** 

in the picomolar range, below the assay limit (biolayer interferometry)

Background


LAG-3, also known as CD223, is an immune checkpoint molecule that regulates both T-cell activation and homeostasis. LAG-3 is expressed on activated T cells, NK cells, regulatory T cells, and plasmacytoid dendritic cells. It is a CD4-related molecule that binds MHC class II. LAG-3 plays an important role in modulating T cell expansion and function, and blockade of LAG-3 with monoclonal antibodies can augment T cell function. (PMID: 15634887; 21086108; 28783703)

Storage

**Storage:** Store at -20°C; Avoid exposure to light. Shipped at dry ice.

Storage Buffer: 10 mM HEPES, 500 mM NaCl, pH 7.0, 1 mM TCEP, 0.09% sodium azide

## Selected Validation Data



The affinity of anti-human LAG3 recombinant VHH towards human LAG3 was determined using biolayer interferometry (BLI). Biotinylated, recombinant human LAG3 was immobilized on Streptavidin biosensors and assayed with 6.3 to 50 nM of CoraLite® Plus 647-conjugated LAG3 VHH (CL647-lt). Fit indicates a 1:1 binding model fitted to the data.