

For Research Use Only

Nano-Secondary® anti-mouse IgG1, recombinant VHH, CoraLite® Plus 488 [CTK0103, CTK0104]

Catalog Number: smsG1CL488-1

1 Publications



www.ptglab.com

Basic Information

Catalog Number:

smsG1CL488-1

Applications:

IF, WB

Host:

Alpaca-derived, recombinantly produced in bacteria

Conjugate:

CoraLite® Plus 488

Type:

Nanobody

Class:

Recombinant

RRID:

AB_2941310

Purification Method:

Recombinant expression, affinity purification
IMAC

Description

Nano-Secondary® anti-mouse IgG1, Fc-specific recombinant VHH is an anti-mouse IgG subclass specific antibody. This secondary antibody product consists of Nanobodies that bind to mouse IgG1 with high affinity & specificity.

Species Reactivity

Mouse IgG1 Fc-fragment

No cross-reactivity: goat, guinea pig, rabbit, rat, sheep, human, macaque serum proteins, mouse IgG2a, IgG2b, IgG2c, IgG3, IgM

Physical State

Liquid

Suggested Dilution

Immunofluorescence 1:500

Western blot 1: 500

Affinity (K_D)

CTK0103: $K_D = 0.13$ nM, CTK0104: $K_D = 0.63$ nM

Storage

Storage:

Shipped at ambient temperature. Store at +4°C short term or -20°C long term. Stable for 1 year at -20°C.

Storage Buffer:


10 mM HEPES pH 7.0, 500 mM NaCl, 5 mM EDTA, Preservative: 0.09 % Sodium azide

For technical support and original validation data for this product please contact


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or E: proteintech@ptglab.com
1(312) 455-8498 (outside USA) W: www.ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescence analysis of HeLa cells stained with mouse IgG1 anti-vimentin antibody and Nano-Secondary® alpaca anti-mouse IgG1, recombinant VHH, CoraLite® Plus 488 (smsG1CL488-1, green). Nuclei were stained with DAPI (blue). Images were recorded at the Core Facility Bioimaging at the Biomedical Center, LMU Munich.



HEK-293 cell lysates were subjected to SDS-PAGE followed by multiplex western blot analysis with 3 mouse primary antibodies including anti-PCNA (60097-1-Ig), anti-cytochrome C (66264-1-Ig), and anti-alpha tubulin (66031-1-Ig). Primary antibodies were detected using 3 mouse IgG subclass-specific nano-secondary reagents including Nano-Secondary® alpaca anti-mouse IgG1, recombinant VHH, CoraLite® Plus 488 (smsG1CL488-1, green), Nano-Secondary® alpaca anti-mouse IgG2a, recombinant VHH, CoraLite® Plus 555 (smsG2aCL555-1, red), and Nano-Secondary® alpaca anti-mouse IgG2b, recombinant VHH, CoraLite® Plus 647 (smsG2bCL647-1, blue).