

For Research Use Only

VDAC3 Polyclonal antibody

Catalog Number: 14451-1-AP **8 Publications**



Basic Information

Catalog Number: 14451-1-AP	GenBank Accession Number: BC056870	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 220 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 7419	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500
Source: Rabbit	Full Name: voltage-dependent anion channel 3	
Isotype: IgG	Calculated MW: 31 kDa	
Immunogen Catalog Number: AG5960	Observed MW: 30 kDa	

Applications

Tested Applications: IHC, WB, ELISA	Positive Controls:
Cited Applications: IHC, WB	WB : mouse heart tissue, human brain tissue, human heart tissue, mouse brain tissue
Species Specificity: human, mouse, rat	IHC : human liver cancer tissue, human osteosarcoma tissue
Cited Species: human, mouse, rat	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

VDAC3 belongs to the eukaryotic mitochondrial porin family. It forms a channel through the mitochondrial outer membrane that allows diffusion of small hydrophilic molecules.

Notable Publications

Author	Pubmed ID	Journal	Application
Bruna Rodrigues Muys	31101765	Cancer Res	WB
Yan Qin	32679544	Mol Ther Nucleic Acids	WB
Alu Konno	27257088	J Cell Sci	WB

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



mouse heart tissue were subjected to SDS PAGE followed by western blot with 14451-1-AP (VDAC3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 14451-1-AP (VDAC3 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 14451-1-AP (VDAC3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).